


Gmí



goldor' mosaico

Compatible Series



## goldor' mosaico


### International top class mosaic in real glass

The decision for goldor' mosaico glass mosaic is always a step towards distinctive individuality and a great variety of design options for any project - whether wet areas, a purely representative ambience, whether floors, walls, columns or ceilings, small or large surfaces, straight or curved, square or rounded. Design and panelling with goldor' mosaico leave room for manifold variations. The versatility of the range as well as quality and reliability of our delivery service have been internationally approved, emphasizing the special, leading position of this brand.

The **opalino** series by goldor' mosaico is a particularly attractive creation reflecting traditional floor coverings in nacre. Either applied on the surface or incorporated into other wall panelling or floor covering – **opalino** is always synonymous with a noticeable enhancement wherever it is used. The shimmers visible through a number of layers, changing lustre and mysterious facets of light provide a superb, unsurpassed elegance and flair. The broad range of colours on offer with numerous possible reflections of light makes this series extremely versatile and adaptable to further architectural planning and design.

goldor' mosaico offers architects, interior designers, professional industrial and private customers a first-class original glass product - supplied in impressive colours, an excellent quality and a great diversity. Selected high-value raw materials, special manufacturing technologies and a distinct awareness as to quality during production and processing guarantee lasting colours and a hard-wearing surface finish.

goldor' mosaico tiles are manufactured per order in individual blends, optionally on paper or transparent film (30 x 30 cm). When it comes to the desired colour gradient and other formal requests regarding design or integration of figurative patterns, laying markers and numeration are available to facilitate further processing on site.



# opalino series

## applications

Panelling and floor coverings  
Interior and exterior areas  
For private rooms or business offices and facilities  
Also suitable for swimming pools and facades

## technical properties

ISO 10545-3/UNI EN 99 Water absorption	none
ISO 10545-9/UNI EN 104 Temperature resistance	resistant
ISO 10545-13'8/UNI EN 122 Acid and lye resistance	resistant
ISO 10545-12/UNI EN 202 Frost resistance	resistant
DIN 51094 Colour stability	resistant

## sizes and weights

Glass mosaic (tessera) sizes	20 x 20 x 4 mm
Pre-packaging	Front side paper-faced (foil-faced possible)
Ready-made tiles size	322 x 322 mm
Width of joints	1.5 mm
Tesserae per ready-made tile	225
Ready-made tile per m <sup>2</sup>	10 pieces = 1.03 m <sup>2</sup>
Weight (kg) per m <sup>2</sup>	6.5 kg
Item order number	OS - in addition articlecode (example: OS - W20.01)

W20.01 (4)



W20.02 (4)



W20.11 (4)



W20.15 (4)



W20.16 (4)



W20.22 (4)



W20.30 (4)



W20.42 (4)



W20.48 (4)



W20.81 (4)



W20.83 (4)



W20.87 (4)

